

Work Order ID 119455

Thursday, May 15, 2014 4:18:25 PM

119455

Page 1

Item ID: D350-636-111 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wearplate Installation
Start Date: 5/15/14 Start Qty: 3.00 ***3*** Cust Item ID:
Required Date: 5/15/14 Req'd Qty: 3.00 ***3*** Customer:
Reference:

Approvals: Process Plan: MUS Date: 14-05-22 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI 9662	A								MUS 15-01-06 (3)
100		0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D350-636-111 CHG001								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									

DAS 27 9-89
DAS 46 9-89
JAN 06 2015
3
DAS 27 9-89
15/1/6
1
DAS 46 9-89
3x
JAN 06 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other _____ _____ _____
--	--	---	---

Work Order ID 119455

119455

Page 2

Thursday, May 15, 2014 4:18:25 PM

Item ID: D350-636-111 Accept *N900040100* Setup Start *NS1*

Revision ID: Stop *NS2*

Item Name: Wearplate Installation

Start Date: 5/15/14 Start Qty: 3.00 *3* Cust Item ID:

Required Date: 5/15/14 Req'd Qty: 3.00 *3* Customer:

Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start *NR1*

QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00				3	DAS 05 9-89	JAN 06 2015	
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-636-111								
	Location: K6124								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

MLJ 1501-06

① 15-1-6

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Page 1

Thursday, May 15, 2014 4:18:31 PM

Work Order ID: 119455

119455

Parent Item: D350-636-111

D350-636-111

Parent Item Name: Wearplate Installation

Start Date: 5/15/14

Required Date: 5/15/14

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP REV:A 14.04.03 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4923-041		Manufactured	No				Each	0.0000	4	12		DAS 27 9-89	
3 *D4923-041*									**	12		JAN 06 2015	
Wearplate Assembly													
D4933-041		Manufactured	No				Each	2.0000	2	6		DAS 27 9-89	
3 *D4933-041*									**			JAN 06 2015	
Wearplate Assembly													
					<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>						
					FG	2				6			
					116593	2	117797					DAS 27 9-89	
D4934-041		Manufactured	No				Each	2.0000	2	6		JAN 06 2015	
3 *D4934-041*									**				
Blade Assembly					<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>						
					FG	2				7			
					116172	2	B117798					DAS 27 9-89	
AN3C5A		Purchased	No				Each	861.0000	24	72		JAN 06 2015	
3 *AN3C5A*									**				
Bolt					<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>						
					FG	5							
					122800	5							
					ST350	256							
					M128973	256							
					ST513	600							
					M128911	600							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td style="width: 33%;"> Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ </td> <td style="width: 33%;"> Crosstube ☐ Small Fab ☐ Finishing ☐ Composite ☐ </td> <td style="width: 33%;"> Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ </td> <td style="width: 33%;"> Engineering ☐ Quality ☐ Other ☐ </td> </tr> </table>	Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐	Crosstube ☐ Small Fab ☐ Finishing ☐ Composite ☐	Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐	Engineering ☐ Quality ☐ Other ☐
Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐	Crosstube ☐ Small Fab ☐ Finishing ☐ Composite ☐	Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐	Engineering ☐ Quality ☐ Other ☐			

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Page 2

Thursday, May 15, 2014 4:18:31 PM

Work Order ID: 119455

119455

Parent Item: D350-636-111

D350-636-111

Parent Item Name: Wearplate Installation

Start Date: 5/15/14

Required Date: 5/15/14

Start Qty: 3.00

Required Qty: 3.00

AN960C10L NAS1149C0332 Purchased No

Each 0.0000 2y 72

DAS
27
6-89

3 *AN960C10L*

DAS

46

Q-RQ

Washer

CO3

m13323

**

72

JAN 06 2015

*

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence
		☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge
		☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D350-636 REV. J
AND INSTRUCTIONS FOR CONTINUING AIRWORTHINESS ICA-D350-636 REV. 3

REF. FAA STC: SR00646SE
REF. CANADIAN STC: SH99-7
REF. EASA STC: 10033942

1.0 PURPOSE:

The purpose of this service instruction is to introduce the D350-636-111 Wearplate Kit. The D350-636-111 Wearplate Kit replaces elements of the D350-636-011/-012/-013/-014 Skidtubes and elements of the D350-636-041/-043/-045 Wearshoe Kit and is designed to improve grip on low friction surfaces such as ice. The components in the D350-636-111 Wearplate Kit are defined in the parts list in Section 2.0.

2.0 PARTS LIST

ITEM	QTY -111	Part Number	Description
	X	D350-636-111	WEARPLATE KIT
1	4	D4923-041	WEARPLATE ASSY
2	2	D4933-041	WEARPLATE ASSY
3	2	D4934-041	BLADE ASSY
4	24	AN3C5A	BOLT
5	24	AN960C10L	WASHER

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITH OUT NOTICE
WORK ORDER
NO. 119458 MJS
14-05-22

3.0 WEIGHT AND BALANCE

The following is the net weight increases associated with the D350-636-111 Kit

Installation	Weight	LONGITUDINAL		LATERAL (STD GEAR)		LATERAL (HIGH GEAR)	
		Arm	Moment	Arm	Moment	Arm	Moment
D350-636-111 WEARPLATE KIT	3.82 lb 1.74 kg	132.1 in 3.4 m	504.6 in-lb 5.9 m-kG	0	0	0	0

4.0 INSTALLATION OF D350-636-111 WEARPLATE KIT

- 4.1 Refer to Figure 1 on sheet 2 of this Service Instruction. Remove and retain the components indicated per ICA-D350-636, Sections 32.3 and 32.4. Ensure the AN8 fasteners are serviceable.
- 4.2 Refer to Figure 2 on sheet 2 of this service instruction. Install the D4934-041 Blade Assy. Torque the AN8C21A bolts to 480-690 in-lbs (54.2-78.0 N-m).
- 4.3 Refer to Figure 2 on sheet 2. Install the D4923-041 Wearplate Assy and the D4933-041 Wearplate Assy as shown. Torque the AN3C5A bolts to 15-25 in-lbs (1.7-2.8 N-m).
- 4.4 Repeat this procedure for the other Skidtube.
- 4.5 Adjust Weight and Balance per Section 3.0 of this Service Instruction.

DESIGN	DB	DART AEROSPACE USA, INC.	
DRAWN	DB	KENT, WA	
CHECKED	ASS	DRAWING NO.	REV. A
MFG. APPR.	N/A	WEARPLATE INSTALLATION	SHEET 1 OF 2
APPROVED	160	TITLE	SCALE
DE APPR.	TH	DSI 9662	NTS
DATE	13.09.11	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




FIGURE 1: BLADE/WEARPLATE REMOVAL




FIGURE 2: D350-636-111 WEARPLATE INSTALLATION

NOTE: THE 2 x D4923-041 WEARPLATES CAN BE INSTALLED IN ANY 2 OF THE 3 LOCATIONS INDICATED IN FIGURE 2 ABOVE. A PARTIAL INSTALL OF THE COMPONENTS PROVIDED IN THE D350-636-111 KIT IS ACCEPTABLE AS LONG AS THE INSTALLATION IS THE SAME ON BOTH SKIDTUBES.

DESIGN	DB	DART AEROSPACE USA, INC.	
DRAWN	DB	KENT, WA	
CHECKED	ASS	DRAWING NO.	REV. A
MFG. APPR.	N/A	WEARPLATE INSTALLATION	
APPROVED	140	SHEET 2 OF 2	
DE APPR.	140	TITLE	SCALE
DATE	13.09.11	DSI 9662	NTS
COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D350-636 REV. J
AND INSTRUCTIONS FOR CONTINUING AIRWORTHINESS ICA-D350-636 REV. 3
REF. FAA STC: SR00646SE
REF. CANADIAN STC: SH99-7
REF. EASA STC: 10033942

1.0 PURPOSE

The purpose of this service instruction is to introduce the D350-636-111/-113 Wearplate Kits.

The D350-636-111 Wearplate Kit replaces elements of the D350-636-011/-012/-013/-014 Skidtubes and elements of the D350-636-041/-043/-045 Wearshoe Kit and is designed to improve grip on low friction surfaces such as ice. The components in the D350-636-111 Wearplate Kit are defined in the parts list in Section 2.0.

The D350-636-113 Wearplate Kit replaces elements of the D350-636-015/-016/-017/-018 Skidtubes and elements of the D350-636-047 Wearplate Kit and is designed to improve grip on low friction surfaces such as ice. The components of the D350-636-113 Wearplate Kit are defined in the parts list in Section 2.0.

2.0 PARTS LIST

REFERENCE ONLY

JAN 06 2015

DAS

46

C-30

QTY -111	QTY -113	Part Number	Description
X		D350-636-111	WEARPLATE KIT
	X	D350-636-113	WEARPLATE KIT
4		D4923-041	WEARPLATE ASSY
2		D4933-041	WEARPLATE ASSY
2	2	D4934-041	BLADE ASSY
	2	D5146-041	WEARPLATE ASSY
24		AN3C5A	BOLT
	8	AN3C36A	BOLT
	8	MS21043-3	NUT
24	16	NAS1149C0332R	WASHER (AN960C10)

B	ADD D350-636-113 WEARPLATE KIT	DB	14.08.21
A	NEW ISSUE	DB	13.09.11
REV.	DESCRIPTION	BY	DATE
DESIGN	DB	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DB		
CHECKED	<i>MKa</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	WEARPLATE INSTALLATION	SHEET 1 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	DSI 9662	NTS
DATE	14.08.21	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	